



“... EXCEEDS ALL EXPECTATIONS for its price category.”

– Shane Buettner, The Perfect Vision

RAVE REVIEWS

“... musically right ... timbrally accurate ... what do you say about a product that exceeds all expectations for its price category ... I've not heard an amplifier that's significantly better at anywhere near its price ... a stone-cold bargain.”

– Shane Buettner, The Perfect Vision

“... fleet-of-foot nature maintained the recording's quality with ease ... kept pace with complex soundtrack material ... excellent impact and transient speed ... could easily handle the format, and seven speakers, without losing control. This is pretty incredible.”

– Jeff Fritz, Home Theater & Sound

“... a remarkable product ... The ability to complement any component with its velvety silence and poise under demanding conditions, along with its musicality, put it at the top of its peer group.”

– Tim Hart, AudioVideo Revolution

Some highlights are from a previous generation. Model has been further improved for even better sound.



ANYTHING BUT AVERAGE


Unlocking the incredible sound sculptures, special effects and dynamics of today's home theater and multichannel music recordings is no small feat, at least for the average amplifier. But then, Anthem's PVA 2, PVA 5 and PVA 7 amplifiers are anything but average. They are equally at home delivering all of the thundering impact and excitement of a surround sound movie experience as they are imparting the subtle nuances of a multichannel music performance or paying rich sonic tribute to the sweeping highs and lows of your favorite two-channel recording.

And there's more ... in a category dominated by low-quality, low-power distribution amps, with very few audiophile-quality products to choose from, PVA 4 and PVA 8 are truly exciting alternatives. They offer ultra-affordable Anthem-quality solutions for achieving "real performance" from your high-fidelity Zone 2 and 3 distributed audio applications. Add the four-channel PVA 4 to cover Zones 2 and 3 on your multizone Anthem processor or add the eight-channel PVA 8 for twice the stereo amplification channels—power more speakers, or more zones.



A PASSION FOR BETTER SOUND!

Before pragmatic design, before performance testing and long before production comes passion! A passion to produce something exceptional. Anthem products are extraordinary, meeting and exceeding the needs and expectations of audiophiles everywhere. Whether for personal or professional use, Anthem products are worldclass leaders in high-end performance and value.



SUPERIOR COMPONENT PARTS AND MATERIALS

Superior performance demands superior components and materials. PVA amps are designed and built in North America using the finest quality parts and materials. From military-spec (FR-4-rated) epoxy circuit boards to multiple high-current bipolar-output transistors; from oversized, computer-designed heatsinks to our own custom-designed robust binding posts, the build quality of these amps ranks among the finest in the world!



EXPERT CRAFTSMANSHIP. SUPERIOR QUALITY CONTROL

Our products are award-winning and internationally recognized not only for their exceptional sonic performance, but also for their superb craftsmanship and reliability. Every product must meet our rigorous standards of performance before it is released to market. The result is a truly superb selection of products that are guaranteed to provide their owners with complete and lasting satisfaction. It's not surprising that Anthem products are highly sought after around the world!



EXEMPLARY CIRCUIT DESIGN

The sonic purity of the PVA amplifier design is the result of our intensive research and development in high-end design. Superior high-end sound begins with a superior power supply. These amplifiers use custom-built, low-noise, high-power toroidal transformers and advanced power supply regulators with high-quality, low-ESL/low-ESR filter capacitors and huge storage capacity.

Our proprietary and patented circuit designs follow Anthem's 'Keep-It-Simple' principle, using the fewest number of parts in the signal path to maintain the integrity of sound. These amplifiers provide the finesse and instantaneous output power to effortlessly reproduce the challenging variety of special effects in movies and demanding musical passages. They are stable as a rock, even into difficult loads.



122 dB SIGNAL-TO-NOISE RATIO

"... an incredible S/N ratio of 122 dB. Good grief! That's as good as no noise at all," said Brian Florian, Secrets of Home Theater and High Fidelity, commenting on the PVA 7. Whether it's the subtle (or not-so-subtle) special effects in a movie, or the tonal subtleties produced by the strings of a single violin, PVA amplifiers capture it all! Ultra-low distortion and a truly incredible signal-to-noise ratio place these amplifiers among the cleanest and quietest on the market. From a silent black background, sound appears in its purest form to envelop you in powerful emotion.



PVA amplifiers can be powered On/Off three ways: manually, with the On/Off switch on the front panel; remotely, via the 12-volt trigger input; or automatically, with our patented Auto-On/Off circuit—an incoming audio signal immediately switches it on, and approximately 20 minutes after the audio signal ends, it simply switches off.



PVA 2



PVA 4



PVA 5



PVA 7



PVA 8



Optional Rack Kits
Available for most models
(See Dealer for more information)

INPUTS

PVA 2	2 Single-Ended, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 4	4 Single-Ended, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 5	5 Single-Ended, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 7	7 Single-Ended, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 8	8 Single-Ended, 1 Relay Trigger (3.5-mm Mono Jack)

OUTPUTS

PVA 2	2 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 4	4 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 5	5 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 7	7 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5-mm Mono Jack)
PVA 8	8 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5-mm Mono Jack)

SWITCHES

Front Panel	Power On/Off
Rear Panel	3 On/Off Modes (Trigger, Manual, Auto)

THD + N 0.002% at 1 kHz, 0.03% at 20 kHz (125 W into 8 Ω)

POWER OUTPUT

(Continuous RMS, 20 Hz to 20 kHz, <1.0% THD)

Impedance # of Channels Driven	8 Ω		4 Ω		2 Ω	
	1	All	1	All	1	All
PVA 2 / 5 / 7	125 W	105 W	200 W	140 W	300 W	—
PVA 4	125 W	165 W	125 W	165 W	300 W	—
PVA 8	120 W	90 W	90 W	120 W	300 W	—

HEADROOM	1.25 dB (8 Ω), 2.13 dB (4 Ω)
POWER BANDWIDTH	10 Hz to 80 kHz (+0 -3 dB) (125 W at 8 Ω)
FREQUENCY RESPONSE	20 Hz to 20 kHz (+0 -0.20 dB), 5 Hz to 100 kHz (+0 -2.5 dB)
INPUT SENSITIVITY	1.12 Vrms in for 125 W into 8 Ω
INPUT IMPEDANCE	10 kΩ
DAMPING FACTOR	200 at 1 kHz (ref. 8 Ω)
S/N RATIO	122 dB, A-weighted (ref. 125 W)
CHANNEL SEPARATION	>65 dB (100 Hz to 10 kHz)
VOLTAGE GAIN	29 dB
SLEW RATE	28 V/μs

POWER REQUIREMENTS

Supply Voltage	105 to 130 V, 60 Hz
Power Consumption (at maximum power output) (8 Ω load)	
PVA 2	500 W
PVA 4	1125 W
PVA 5	1125 W
PVA 7	1500 W
PVA 8	1500 W

DIMENSIONS (H x W x D; heights include feet)

PVA 2	5-7/8" (14.9 cm) High x 17-1/4" (43.8 cm) Wide x 11" (28 cm) Deep
PVA 4	5-7/8" (14.9 cm) High x 17-1/4" (43.8 cm) Wide x 13-1/4" (33.5 cm) Deep
PVA 5	5-7/8" (14.9 cm) High x 17-1/4" (43.8 cm) Wide x 13-1/4" (33.5 cm) Deep
PVA 7	5-7/8" (14.9 cm) High x 17-1/4" (43.8 cm) Wide x 16-3/8" (42 cm) Deep
PVA 8	5-7/8" (14.9 cm) High x 17-1/4" (43.8 cm) Wide x 16-3/8" (42 cm) Deep
All Models	Rack-mounting: 3 rack units, without feet

WEIGHT (unpacked)

PVA 2	26 lb (12 kg)
PVA 4	36.1 lb (16.4 kg)
PVA 5	36.3 lb (16.5 kg)
PVA 7	47.3 lb (21.5 kg)
PVA 8	47.5 lb (21.6 kg)

ADVANCED LOAD MONITORING (ALM)

All Anthem® amplifiers are designed to perform flawlessly—offering stunning musicality, tonal neutrality and incredible dynamics while driving any speaker load reliably under real-world conditions! The power supply is conservatively rated and the amplifiers run cool for greater reliability, but we didn't stop there.

These amplifiers feature our ALM (Advanced Load Monitoring) circuitry which protects sensitive output devices by constantly monitoring temperature, current and voltage to ensure optimum long-term performance. ALM is totally non-invasive—it is not in the signal path and only engages in the most extreme circumstances to protect the amplifier from damage by maintaining the safe operating area of the output devices. Buyer beware however! Not all amplifier manufacturers have sophisticated load-monitoring provisions. Many have saved the added cost, leaving their output devices unprotected, choosing instead to use the amplifier's output devices as "fuses." At Anthem, ALM is just one of the ways in which our products provide owners with years of reliable service.

